









# MECHANICAL STATIONARY

# 1700TRSM Rear Door

## 1700TRSM STATIONARY

### Dimensions

Height w/6" Pedestals: 131" / 333cm  
 Height w/ 10" Extension: 141" / 358cm  
 Overall Width: 126" / 320cm  
 Overall Length : 385" / 978cm

Max Payload 50,000lbs / 22,680kg

Empty Weight 26,500 Lbs/12,020kg

### Unit Capacity


Struck Capacity: 1398cu.ft. / 39.6m<sup>3</sup>  
 Capacity with Extension: 1585cu.ft. / 44.9m<sup>3</sup>

### Minimum Power Requirements

250hp / 186kW

### Standard Discharge Ground Clearance

Fixed Chute w/6" pedestals- 21" / 53cm



1700TSM STATIONARY

### Standard Equipment

- 3 Patented Freestanding Vertical Cutting Auger
- Manual Restrictor Plates
- 2-stage Heavy-Duty Planetary Drives
- 15 Replaceable Forage Cutting Blades
- Ultra Wear Kicker Plates
- Rear Discharge Door
- Viewing Platform
- 6-point Scale System
- Tub Mounted Weight Repeater
- 1"/25mm MS Floor
- 5/16" / 8mm AR200 Wall
- 5/8"/16mm AR200 Auger Flighting
- Independent Steel Oil Tanks

Factory Code		Retail Price
010125M100	1700TR ST MECHANICAL (ESS)	\$135,002
<b>Door Options</b>		
00245M500	Additional Side Door	\$3,274
00054M100	Magnets on Drop Chute (per chute)	\$722
<b>Tub Options</b>		
00167M200	HD 10 in. Industrial Belting Tub Extension	\$2,229
00127M500	Hard Faced baffle and one door	\$1,700
00045M800	Each additional Hard Faced door	\$610
	AR200 Floor Liner	Call for Pricing
	AR200 Wall Liner	Call for Pricing
	Stainless Steel Floor Liner	Available Online
	Stainless Steel Wall Liner	Available Online
<b>Auger Options</b>		
	Cutting or Corn Auger	NO CHARGE
00043M600	Extra Knife Assembly (for 3 augers)	\$581
00213M900	Hard Faced Augers	\$2,852
00002M500	Extended Backing Plate	\$34
	Stainless Steel Lined Augers	Call for Pricing